


# Cerraduras para puertas

## Cerradura


BB68



|     |                                                                                                                                                                                                                                                                                                                                                                                                                                     | REF.            |                                                                                       | UC                                                                                    | QTE   |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 050 |      | BB68.58.11-501  |  |  | 4 x 1 |
| 052 |      | BB68.58IL-501   |  |  | 4 x 1 |
| 054 |      | BB68.58S.11-501 |  |  | 1 x 1 |
| 056 |      | BB68.58S.12-501 |  |  | 4 x 1 |
| 058 |      | BB68.58S.17-501 |  |  | 4 x 1 |
| 060 |      | BB68.58S.IL-501 |  |  | 4 x 1 |

Cerradura


BB72



|     |                |       |       |          |                        | REF.             |                 | UC | QTE |
|-----|----------------|-------|-------|----------|------------------------|------------------|-----------------|----|-----|
| 100 | 1 tour<br>loer | 72 mm | 50 mm | Mini     | gris<br>grijs          | BB72.50MR-501    | 3 393999 447060 | 4  | x 1 |
| 104 | 1 tour<br>loer | 72 mm | 50 mm | Mini     | laitonné<br>vermessing | BB72.50MR.BL-501 | 3 393999 447107 | 4  | x 1 |
| 106 | 1 tour<br>loer | 72 mm | 50 mm | Mini     | inox-<br>look          | BB72.50MR.IL-501 | 3 393999 554683 | 4  | x 1 |
| 110 | 1 tour<br>loer | 72 mm | 50 mm | Standard | gris<br>grijs          | BB72.50S-501     | 3 393999 447169 | 4  | x 1 |
| 118 | 1 tour<br>loer | 72 mm | 50 mm | Standard | noir<br>zwart          | BB72.50R.17-501  | 3 393999 573264 | 4  | x 1 |
| 120 | 1 tour<br>loer | 72 mm | 50 mm | Standard | gris<br>grijs          | BB72.50R-501     | 3 393999 654024 | 4  | x 1 |
| 130 | 1 tour<br>loer | 72 mm | 55 mm | Standard | gris<br>grijs          | BB72.55S-501     | 3 393999 447367 | 4  | x 1 |
| 140 | 1 tour<br>loer | 72 mm | 55 mm | Standard | gris<br>grijs          | BB72.55R-501     | 3 393999 447466 | 4  | x 1 |
| 150 | 1 tour<br>loer | 72 mm | 60 mm | Standard | gris<br>grijs          | BB72.60S-501     | 3 393999 447565 | 4  | x 1 |
| 160 | 1 tour<br>loer | 72 mm | 60 mm | Standard | gris<br>grijs          | BB72.60R-501     | 3 393999 653980 | 4  | x 1 |

Cerradura


BB85



|     |                |       |       |          |               | REF.         |                 | UC | QTE |
|-----|----------------|-------|-------|----------|---------------|--------------|-----------------|----|-----|
| 180 | 1 tour<br>loer | 85 mm | 50 mm | Standard | gris<br>grijs | BB85.50S-501 | 3 393999 447862 | 4  | x 1 |
| 190 | 1 tour<br>loer | 85 mm | 55 mm | Standard | gris<br>grijs | BB85.55S-501 | 3 393999 447961 | 4  | x 1 |

Cerradura


BB110



|     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | REF.                                                                                |                  | UC                                                                                    | QTE                                                                                         |
|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 280 |    |    |    |    |    |    | BB110.50S-501    |    |  4 x 1   |
| 290 |    |    |    |    |    |    | BB110.50R-501    |    |  4 x 1   |
| 294 |    |    |    |    |    |    | BB110.50R.BL-501 |    |  4 x 1   |
| 296 |    |    |    |    |    |    | BB110.50R.IL-501 |    |  4 x 1   |
| 298 |    |    |    |    |    |    | BB110.50R.17-501 |    |  4 x 1   |
| 300 |   |   |   |   |   |   | BB110.55S-501    |   |  4 x 1  |
| 310 |  |  |  |  |  |  | BB110.55R-501    |  |  4 x 1 |
| 314 |  |  |  |  |  |  | BB110.55R.BL-501 |  |  4 x 1 |
| 316 |  |  |  |  |  |  | BB110.55R.IL-501 |  |  4 x 1 |
| 320 |  |  |  |  |  |  | BB110.60S-501    |  |  4 x 1 |
| 330 |  |  |  |  |  |  | BB110.60R-501    |  |  4 x 1 |
| 334 |  |  |  |  |  |  | BB110.60R.BL-501 |  |  4 x 1 |
| 338 |  |  |  |  |  |  | BB110.60R.IL-501 |  |  4 x 1 |


Cerradura

BB90



|     |                |       |       |          |                        | REF.            |  | UC | QTE |
|-----|----------------|-------|-------|----------|------------------------|-----------------|--|----|-----|
| 218 | 1 tour<br>boer | 90 mm | 50 mm | Standard | noir<br>zwart          | BB90.50R.17-001 |  | 4  | x 1 |
| 210 | 1 tour<br>boer | 90 mm | 50 mm | Standard | gris<br>grijs          | BB90.50R-501    |  | 4  | x 1 |
| 214 | 1 tour<br>boer | 90 mm | 50 mm | Standard | laitonné<br>vermessing | BB90.50R.BL-501 |  | 4  | x 1 |
| 216 | 1 tour<br>boer | 90 mm | 50 mm | Standard | inox-<br>look          | BB90.50R.IL-501 |  | 4  | x 1 |
| 218 | 1 tour<br>boer | 90 mm | 50 mm | Standard | noir<br>zwart          | BB90.50R.17-501 |  | 4  | x 1 |


PZ68



|     |                   |       |         |          |              | REF.            |  | UC | QTE |
|-----|-------------------|-------|---------|----------|--------------|-----------------|--|----|-----|
| 380 | 2 tours<br>boeren | 68 mm | 58.5 mm | Standard | inox<br>mate | PZ68.58S.IL-501 |  | 4  | x 1 |

Cerradura

PZ72.MR




|     |                   |       |       |      |                        | REF.             |  | UC | QTE |
|-----|-------------------|-------|-------|------|------------------------|------------------|--|----|-----|
| 400 | 2 tours<br>boeren | 72 mm | 50 mm | Mini | gris<br>grijs          | PZ72.50MR-501    |  | 4  | x 1 |
| 404 | 2 tours<br>boeren | 72 mm | 50 mm | Mini | laitonné<br>vermessing | PZ72.50MR.BL-501 |  | 4  | x 1 |
| 406 | 2 tours<br>boeren | 72 mm | 50 mm | Mini | inox-<br>look          | PZ72.50MR.IL-501 |  | 4  | x 1 |



## Cerradura


### PZ72



| REF.                                                                                                                                                                                    | UC | QTE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <div>410</div> <div> <div>2 tours</div> <div>72 mm</div> <div>50 mm</div> <div>Standard</div> <div>gris</div> </div> <div>PZ72.50S-501</div> <div> <div>3 393999 450169</div> </div>    | 4  | x 1 |
| <div>420</div> <div> <div>2 tours</div> <div>72 mm</div> <div>50 mm</div> <div>Standard</div> <div>gris</div> </div> <div>PZ72.50R-501</div> <div> <div>3 393999 556458</div> </div>    | 4  | x 1 |
| <div>422</div> <div> <div>2 tours</div> <div>72 mm</div> <div>50 mm</div> <div>Standard</div> <div>noir</div> </div> <div>PZ72.50R.17-501</div> <div> <div>3 393999 573295</div> </div> | 4  | x 1 |
| <div>430</div> <div> <div>2 tours</div> <div>72 mm</div> <div>55 mm</div> <div>Standard</div> <div>gris</div> </div> <div>PZ72.55S-501</div> <div> <div>3 393999 450367</div> </div>    | 4  | x 1 |
| <div>440</div> <div> <div>2 tours</div> <div>72 mm</div> <div>55 mm</div> <div>Standard</div> <div>gris</div> </div> <div>PZ72.55R-501</div> <div> <div>3 393999 561421</div> </div>    | 4  | x 1 |

## Cerradura

### PZ90



| REF.                                                                                                                                                                                        | UC | QTE |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <div>518</div> <div> <div>2 tours</div> <div>90 mm</div> <div>50 mm</div> <div>Standard</div> <div>noir</div> </div> <div>PZ90.50R.17-001</div> <div> <div>3 393999 582648</div> </div>     | 4  | x 1 |
| <div>510</div> <div> <div>2 tours</div> <div>90 mm</div> <div>50 mm</div> <div>Standard</div> <div>gris</div> </div> <div>PZ90.50R-501</div> <div> <div>3 393999 451166</div> </div>        | 4  | x 1 |
| <div>514</div> <div> <div>2 tours</div> <div>90 mm</div> <div>50 mm</div> <div>Standard</div> <div>laitonne</div> </div> <div>PZ90.50R.BL-501</div> <div> <div>3 393999 451203</div> </div> | 4  | x 1 |
| <div>516</div> <div> <div>2 tours</div> <div>90 mm</div> <div>50 mm</div> <div>Standard</div> <div>inox</div> </div> <div>PZ90.50R.IL-501</div> <div> <div>3 393999 451227</div> </div>     | 4  | x 1 |
| <div>518</div> <div> <div>2 tours</div> <div>90 mm</div> <div>50 mm</div> <div>Standard</div> <div>noir</div> </div> <div>PZ90.50R.17-501</div> <div> <div>3 393999 573301</div> </div>     | 4  | x 1 |

Cerradura

PZ110.23




REF.

UC QTE

|     |                  |       |          |      |                 |                 |       |
|-----|------------------|-------|----------|------|-----------------|-----------------|-------|
| 550 | 1 tour<br>110 mm | 23 mm | Standard | gris | PZ110.23S.L-501 | 3 393999 451562 | 4 x 1 |
| 551 | 1 tour<br>110 mm | 23 mm | Standard | gris | PZ110.23S.R-501 | 3 393999 451579 | 4 x 1 |

Cerradura

PZ110



REF.

UC QTE

|     |                   |       |          |               |                  |                  |       |
|-----|-------------------|-------|----------|---------------|------------------|------------------|-------|
| 600 | 2 tours<br>110 mm | 50 mm | Standard | gris          | PZ110.50S-501    | 3 393999 452064  | 4 x 1 |
| 610 | 2 tours<br>110 mm | 50 mm | Standard | gris          | PZ110.50R-501    | 3 393999 452163  | 4 x 1 |
| 614 | 2 tours<br>110 mm | 50 mm | Standard | laitonné      | PZ110.50R.BL-501 | 3 393999 452200  | 4 x 1 |
| 616 | 2 tours<br>110 mm | 50 mm | Standard | inox-look     | PZ110.50R.IL-501 | 3 393999 452224  | 4 x 1 |
| 618 | 2 tours<br>110 mm | 50 mm | Standard | noir<br>zwart | PZ110.50R.17-501 | 3 393999 4573318 | 4 x 1 |
| 620 | 2 tours<br>110 mm | 55 mm | Standard | gris          | PZ110.55S-501    | 3 393999 452262  | 4 x 1 |
| 630 | 2 tours<br>110 mm | 55 mm | Standard | gris          | PZ110.55R-501    | 3 393999 452361  | 4 x 1 |
| 634 | 2 tours<br>110 mm | 55 mm | Standard | laitonné      | PZ110.55R.BL-501 | 3 393999 452408  | 4 x 1 |
| 636 | 2 tours<br>110 mm | 55 mm | Standard | inox-look     | PZ110.55R.IL-501 | 3 393999 452422  | 4 x 1 |
| 640 | 2 tours<br>110 mm | 60 mm | Standard | gris          | PZ110.60S-501    | 3 393999 452460  | 4 x 1 |

REF.

UC QTE



PZ110.60R-501



4 x 1




PZ110.60R.IL-501



4 x 1

## Cerradura WC

WC78



REF.

UC QTE



WC78.50S-501



4 x 1



WC78.50R-501



4 x 1



WC78.50R.BL-501



4 x 1



WC78.50R.IL-501



4 x 1



WC78.55S-501



4 x 1



WC78.55R-501



4 x 1



WC78.55R.BL-501



4 x 1




WC78.55R.IL-501



4 x 1

Cerradura WC


WC90



|     |    |       |       |          |                     | REF.            |  | UC | QTE |
|-----|----|-------|-------|----------|---------------------|-----------------|--|----|-----|
| 730 | WC | 90 mm | 50 mm | Standard | gris grijs          | WC90.50R-501    |  | 4  | x 1 |
| 740 | WC | 90 mm | 50 mm | Standard | laitonné vermessing | WC90.50R.BL-501 |  | 4  | x 1 |
| 742 | WC | 90 mm | 50 mm | Standard | inox-look           | WC90.50R.IL-501 |  | 4  | x 1 |
| 744 | WC | 90 mm | 50 mm | Standard | noir zwart          | WC90.50R.17-501 |  | 4  | x 1 |

Cerradura WC

WC116




|     |    |        |       |          |                     | REF.             |  | UC | QTE |
|-----|----|--------|-------|----------|---------------------|------------------|--|----|-----|
| 760 | WC | 116 mm | 50 mm | Standard | gris grijs          | WC116.50S-501    |  | 4  | x 1 |
| 770 | WC | 116 mm | 50 mm | Standard | gris grijs          | WC116.50R-501    |  | 4  | x 1 |
| 774 | WC | 116 mm | 50 mm | Standard | laitonné vermessing | WC116.50R.BL-501 |  | 4  | x 1 |
| 776 | WC | 116 mm | 50 mm | Standard | inox-look           | WC116.50R.IL-501 |  | 4  | x 1 |
| 780 | WC | 116 mm | 55 mm | Standard | gris grijs          | WC116.55R-501    |  | 4  | x 1 |
| 784 | WC | 116 mm | 55 mm | Standard | laitonné vermessing | WC116.55R.BL-501 |  | 4  | x 1 |
| 786 | WC | 116 mm | 55 mm | Standard | inox-look           | WC116.55R.IL-501 |  | 4  | x 1 |
| 790 | WC | 116 mm | 60 mm | Standard | gris grijs          | WC116.60R-501    |  | 5  | x 1 |
| 796 | WC | 116 mm | 60 mm | Standard | inox-look           | WC116.60R.IL-501 |  | 4  | x 1 |



## Cerradura reversible de lanzamiento por muesca

LB



| REF.                                                                                                                                                                             | UC | QTE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <div> <div>800</div> <div>1 tour</div> <div>0 mm</div> <div>50 mm</div> <div>Standard</div> <div>gris</div> </div> <div>LB.50S-501</div> <div> <div>3 393999 454068</div> </div> | 4  | x 1 |
| <div> <div>803</div> <div>1 tour</div> <div>0 mm</div> <div>55 mm</div> <div>Standard</div> <div>gris</div> </div> <div>LB.55S-501</div> <div> <div>3 393999 454099</div> </div> | 4  | x 1 |
| <div> <div>806</div> <div>1 tour</div> <div>0 mm</div> <div>60 mm</div> <div>Standard</div> <div>gris</div> </div> <div>LB.60S-501</div> <div> <div>3 393999 454129</div> </div> | 4  | x 1 |

## Cerradura vertical reversible con muesca y 3 llaves Phillips


DB



| REF.                                                                                                                                                                              | UC | QTE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <div> <div>830</div> <div>1 tour</div> <div>0 mm</div> <div>45 mm</div> <div>Standard</div> <div>gris</div> </div> <div>DB.45S-501</div> <div> <div>3 393999 454365</div> </div>  | 4  | x 1 |
| <div> <div>831</div> <div>1 tour</div> <div>0 mm</div> <div>45 mm</div> <div>Standard</div> <div>gris</div> </div> <div>DB.45SD-501</div> <div> <div>3 393999 454372</div> </div> | 4  | x 2 |

## Cerradura de suelo con muesca y entrada por cilindro


DBPZ



| REF.                                                                                                                                                                               | UC | QTE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <div> <div>840</div> <div>1 tour</div> <div>0 mm</div> <div>50 mm</div> <div>Standard</div> <div>gris</div> </div> <div>DBPZ.50S-501</div> <div> <div>3 393999 566952</div> </div> | 4  | x 1 |

## Cerradura


BB56



| REF.                                                                                                                                                                                | UC | QTE |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <div> <div>850</div> <div>1 tour</div> <div>56 mm</div> <div>45 mm</div> <div>Standard</div> <div>gris</div> </div> <div>BB56.45S-501</div> <div> <div>3 393999 454563</div> </div> | 4  | x 1 |

Cerradura

PZ56



| REF.                                                                                                                                                                                                 | UC | QTE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <div> <div>851</div> <div>1 hour</div> <div>56 mm</div> <div>45 mm</div> <div>Standard</div> <div>gris</div> <div>grijs</div> </div> <div>PZ56.45S-501</div> <div> <div>3 393999 454570</div> </div> | 4  | x 1 |

Placas de impacto separadas

SP




| A  | B   | REF.                                                                                          | UC | QTE |
|----|-----|-----------------------------------------------------------------------------------------------|----|-----|
| 10 | 300 | <div>870</div> <div>SP72-110HS.IL-501</div> <div>- look inox</div> <div>3 393999 454761</div> | 4  | x 1 |
| 20 | 135 | <div>880</div> <div>SP72MR-501</div> <div>- zincado</div> <div>3 393999 454860</div>          | 4  | x 1 |
| 20 | 135 | <div>884</div> <div>SP72MR.BL-501</div> <div>- latón pulido</div> <div>3 393999 454907</div>  | 4  | x 1 |
| 25 | 175 | <div>890</div> <div>SP72S-501</div> <div>- zincado</div> <div>3 393999 454969</div>           | 4  | x 1 |
| 25 | 175 | <div>892</div> <div>SP72R.17-501</div> <div>- negro</div> <div>3 393999 458267</div>          | 4  | x 1 |
| 25 | 175 | <div>900</div> <div>SP85S-501</div> <div>- zincado</div> <div>3 393999 455065</div>           | 4  | x 1 |
| 25 | 175 | <div>910</div> <div>SP90R-501</div> <div>- zincado</div> <div>3 393999 455164</div>           | 4  | x 1 |
| 25 | 175 | <div>912</div> <div>SP90R.17-501</div> <div>- negro</div> <div>3 393999 458265</div>          | 4  | x 1 |
| 25 | 175 | <div>914</div> <div>SP90R.BL-501</div> <div>- latón pulido</div> <div>3 393999 455201</div>   | 4  | x 1 |
| 25 | 175 | <div>916</div> <div>SP90R.IL-501</div> <div>- look inox</div> <div>3 393999 455225</div>      | 4  | x 1 |
| 25 | 175 | <div>920</div> <div>SP110S-501</div> <div>- zincado</div> <div>3 393999 455263</div>          | 4  | x 1 |
| 25 | 175 | <div>930</div> <div>SP110R-501</div> <div>- zincado</div> <div>3 393999 455362</div>          | 4  | x 1 |

| A  | B   | REF.                            | UC | QTE |
|----|-----|---------------------------------|----|-----|
| 25 | 175 | SP110R.17-501<br>- negro        | 4  | x 1 |
| 25 | 175 | SP110R.BL-501<br>- latón pulido | 4  | x 1 |
| 25 | 175 | SP110R.IL-501<br>- look inox    | 4  | x 1 |
| 25 | 85  | SP.S-501<br>- zincado           | 4  | x 1 |

## Cerradura de bodega para aplicar con llave estándar


GA



| REF.          | UC | QTE |
|---------------|----|-----|
| GA.40SL-501   | 4  | x 1 |
| GA.40SR-501   | 4  | x 1 |
| GA.60SL-501   | 4  | x 1 |
| GA.60SR-501   | 4  | x 1 |
| GA57.50SL-501 | 4  | x 1 |
| GA57.50SR-501 | 4  | x 1 |
| GA45S-501     | 4  | x 1 |
| GA70S-501     | 4  | x 1 |

## Cerradura para WC para puertas correderas


174.18



| A  | B  | C  | REF.                                 | UC | QTE |
|----|----|----|--------------------------------------|----|-----|
| 70 | 50 | 16 | 174.50.18-002<br>- niquelado oxidado | 3  | x 1 |
| 70 | 50 | 16 | 174.50.18-501<br>- niquelado oxidado | 3  | x 1 |

## Chapa frontal plana

10546-501



**A** **B**  
30 300

REF.

10546.13-501  
- cromado



UC  
1

QTE  
x 1

## Alfombrilla Keypass

KEYPASS



**A**  
75

REF.

KEYPASS-501  
- zincado



UC  
4

QTE  
x 1

## Cerradura de sobreponer para puertas y ventanas

10515-501



**A** **B** **C**  
73 32 45

REF.

10515.37-501  
- blanco



UC  
1

QTE  
x 1

**A** **B** **C**  
73 32 45

10515.40-501  
- marrones



UC  
1

QTE  
x 1

## Pestillo reversible, cilindro + botón

10437-501



**A** **B** **C**  
90 58 28

REF.

10437.37-501  
- blanco



UC  
1

QTE  
x 1

**A** **B** **C**  
90 58 28

10437.40-501  
- marrones



UC  
1

QTE  
x 1

## Cerradura reversible con cilindro + botón

10438-501



**A** **B** **C**  
90 70 25

REF.

10438.37-501  
- blanco



UC  
1

QTE  
x 1

**A** **B** **C**  
90 70 25

10438.40-501  
- marrones



UC  
1

QTE  
x 1

Cerradura reversible con cilindro + botón

10536-501



A B C  
65 95 20




REF.  
10536.40.39-501  
- beige



UC QTE  
1 x 1

Cerradura reversible con cilindro + botón

10537-501



A B C  
65 90 20




REF.  
10537.40.39-501  
- beige



UC QTE  
1 x 1

Cerradura reversible con cilindro + cilindro

10538-501



A B C  
65 90 20



REF.  
10538.40.39-501  
- beige



UC QTE  
1 x 1