


Door Locks

LOCK 050 BB68.58.11-501


BB68



		REF.		UC	QTE
050	    	BB68.58.11-501			4 x 1
052	    	BB68.58IL-501			4 x 1
054	    	BB68.58S.11-501			1 x 1
056	    	BB68.58S.12-501			4 x 1
058	    	BB68.58S.17-501			4 x 1
060	    	BB68.58S.IL-501			4 x 1

Reversible notching lock with ordinary key, centre distance 72 mm


BB72



						REF.		UC	QTE
100	1 tour toer	72 mm	50 mm	Mini	gris grijs	BB72.50MR-501	3 393999 447060	4	x 1
104	1 tour toer	72 mm	50 mm	Mini	laitonné vermeessing	BB72.50MR.BL-501	3 393999 447107	4	x 1
106	1 tour toer	72 mm	50 mm	Mini	inox- look	BB72.50MR.IL-501	3 393999 554683	4	x 1
110	1 tour toer	72 mm	50 mm	Standard	gris grijs	BB72.50S-501	3 393999 447169	4	x 1
118	1 tour toer	72 mm	50 mm	Standard	noir zwart	BB72.50R.17-501	3 393999 573264	4	x 1
120	1 tour toer	72 mm	50 mm	Standard	gris grijs	BB72.50R-501	3 393999 654024	4	x 1
130	1 tour toer	72 mm	55 mm	Standard	gris grijs	BB72.55S-501	3 393999 447367	4	x 1
140	1 tour toer	72 mm	55 mm	Standard	gris grijs	BB72.55R-501	3 393999 447466	4	x 1
150	1 tour toer	72 mm	60 mm	Standard	gris grijs	BB72.60S-501	3 393999 447565	4	x 1
160	1 tour toer	72 mm	60 mm	Standard	gris grijs	BB72.60R-501	3 393999 653980	4	x 1

Notchable lock with ordinary key, centre distance 85 mm

BB85



						REF.		UC	QTE
180	1 tour toer	85 mm	50 mm	Standard	gris grijs	BB85.50S-501	3 393999 447862	4	x 1
190	1 tour toer	85 mm	55 mm	Standard	gris grijs	BB85.55S-501	3 393999 447961	4	x 1

Reversible notching lock with ordinary key, centre distance 110 mm


BB110



						REF.		UC	QTE
280	1 tour toer	110 mm	50 mm	Standard	gris grijs	BB110.50S-501			4 x 1
290	1 tour toer	110 mm	50 mm	Standard	gris grijs	BB110.50R-501			4 x 1
294	1 tour toer	110 mm	50 mm	Standard	laitonné vermessing	BB110.50R.BL-501			4 x 1
296	1 tour toer	110 mm	50 mm	Standard	inox- look	BB110.50R.IL-501			4 x 1
298	1 tour toer	110 mm	50 mm	Standard	noir zwart	BB110.50R.17-501			4 x 1
300	1 tour toer	110 mm	55 mm	Standard	gris grijs	BB110.55S-501			4 x 1
310	1 tour toer	110 mm	55 mm	Standard	gris grijs	BB110.55R-501			4 x 1
314	1 tour toer	110 mm	55 mm	Standard	laitonné vermessing	BB110.55R.BL-501			4 x 1
316	1 tour toer	110 mm	55 mm	Standard	inox- look	BB110.55R.IL-501			4 x 1
320	1 tour toer	110 mm	60 mm	Standard	gris grijs	BB110.60S-501			4 x 1
330	1 tour toer	110 mm	60 mm	Standard	gris grijs	BB110.60R-501			4 x 1
334	1 tour toer	110 mm	60 mm	Standard	inox- look	BB110.60R.BL-501			4 x 1
338	1 tour toer	110 mm	60 mm	Standard	inox- look	BB110.60R.IL-501			4 x 1


Reversible notching lock with ordinary key, centre distance 90 mm

BB90



						REF.		UC	QTE
218	1 tour boer	90 mm	50 mm	Standard	noir zwart	BB90.50R.17-001			4 x 1
210	1 tour boer	90 mm	50 mm	Standard	gris grijs	BB90.50R-501			4 x 1
214	1 tour boer	90 mm	50 mm	Standard	laitonné vermessing	BB90.50R.BL-501			4 x 1
216	1 tour boer	90 mm	50 mm	Standard	inox- look	BB90.50R.IL-501			4 x 1
218	1 tour boer	90 mm	50 mm	Standard	noir zwart	BB90.50R.17-501			4 x 1


PZ68



						REF.		UC	QTE
380	2 tours boeren	68 mm	58.5 mm	Standard	inox mate	PZ68.58S.IL-501			4 x 1

Reversible notching lock with cylinder escutcheon, mini box (140x70mm), centre distance 72mm


PZ72.MR



						REF.		UC	QTE
400	2 tours boeren	72 mm	50 mm	Mini	gris grijs	PZ72.50MR-501			4 x 1
404	2 tours boeren	72 mm	50 mm	Mini	laitonné vermessing	PZ72.50MR.BL-501			4 x 1
406	2 tours boeren	72 mm	50 mm	Mini	inox- look	PZ72.50MR.IL-501			4 x 1

Reversible notching lock with cylinder escutcheon, mini box (140x70mm), centre distance
72mm


PZ72



		REF.		UC	QTE
410	    	PZ72.50S-501			4 x 1
420	    	PZ72.50R-501			4 x 1
422	    	PZ72.50R.17-501			4 x 1
430	    	PZ72.55S-501			4 x 1
440	    	PZ72.55R-501			4 x 1

Reversible notching lock with cylinder escutcheon, 90mm centre distance

PZ90



		REF.		UC	QTE
518	    	PZ90.50R.17-001			4 x 1
510	    	PZ90.50R-501			4 x 1
514	    	PZ90.50R.BL-501			4 x 1
516	    	PZ90.50R.IL-501			4 x 1
518	    	PZ90.50R.17-501			4 x 1

Narrow notch lock with cylinder escutcheon, 110mm centre distance

PZ110.23




REF.

UC QTE

550	1 jour lever	110 mm	23 mm	Standard		gris	PZ110.23S.L-501	3 393999 451562		4 x 1
551	1 jour lever	110 mm	23 mm	Standard		gris	PZ110.23S.R-501	3 393999 451579		4 x 1

Reversible notching lock with cylinder escutcheon, 110mm centre distance

PZ110



REF.

UC QTE

600	2 jours lever	110 mm	50 mm	Standard		gris	PZ110.50S-501	3 393999 452064		4 x 1
610	2 jours lever	110 mm	50 mm	Standard		gris	PZ110.50R-501	3 393999 452163		4 x 1
614	2 jours lever	110 mm	50 mm	Standard		laitonné vermeil	PZ110.50R.BL-501	3 393999 452200		4 x 1
616	2 jours lever	110 mm	50 mm	Standard		inox- look	PZ110.50R.IL-501	3 393999 452224		4 x 1
618	2 jours lever	110 mm	50 mm	Standard		noir zwaart	PZ110.50R.17-501	3 393999 4573318		4 x 1
620	2 jours lever	110 mm	55 mm	Standard		gris	PZ110.55S-501	3 393999 452262		4 x 1
630	2 jours lever	110 mm	55 mm	Standard		gris	PZ110.55R-501	3 393999 452361		4 x 1
634	2 jours lever	110 mm	55 mm	Standard		laitonné vermeil	PZ110.55R.BL-501	3 393999 452408		4 x 1
636	2 jours lever	110 mm	55 mm	Standard		inox- look	PZ110.55R.IL-501	3 393999 452422		4 x 1
640	2 jours lever	110 mm	60 mm	Standard		gris	PZ110.60S-501	3 393999 452460		4 x 1

REF.

UC QTE



PZ110.60R-501



4 x 1




PZ110.60R.IL-501



4 x 1

Reversible toilet notch lock

WC78



REF.

UC QTE



WC78.50S-501



4 x 1



WC78.50R-501



4 x 1



WC78.50R.BL-501



4 x 1



WC78.50R.IL-501



4 x 1



WC78.55S-501



4 x 1



WC78.55R-501



4 x 1



WC78.55R.BL-501



4 x 1




WC78.55R.IL-501



4 x 1

Reversible toilet notch lock


WC90



						REF.		UC	QTE
730	WC	90 mm	50 mm	Standard	gris grijs	WC90.50R-501		4	x 1
740	WC	90 mm	50 mm	Standard	laitonné vermessing	WC90.50R.BL-501		4	x 1
742	WC	90 mm	50 mm	Standard	inox-look	WC90.50R.IL-501		4	x 1
744	WC	90 mm	50 mm	Standard	noir zwart	WC90.50R.17-501		4	x 1

Reversible toilet notch lock


WC116



						REF.		UC	QTE
760	WC	116 mm	50 mm	Standard	gris grijs	WC116.50S-501		4	x 1
770	WC	116 mm	50 mm	Standard	gris grijs	WC116.50R-501		4	x 1
774	WC	116 mm	50 mm	Standard	laitonné vermessing	WC116.50R.BL-501		4	x 1
776	WC	116 mm	50 mm	Standard	inox-look	WC116.50R.IL-501		4	x 1
780	WC	116 mm	55 mm	Standard	gris grijs	WC116.55R-501		4	x 1
784	WC	116 mm	55 mm	Standard	laitonné vermessing	WC116.55R.BL-501		4	x 1
786	WC	116 mm	55 mm	Standard	inox-look	WC116.55R.IL-501		4	x 1
790	WC	116 mm	60 mm	Standard	gris grijs	WC116.60R-501		5	x 1
796	WC	116 mm	60 mm	Standard	inox-look	WC116.60R.IL-501		4	x 1

Reversible notch launch lock

LB



REF.	UC	QTE
800 1 tour 0 mm 50 mm Standard gris gris LB.50S-501 3 393999 454068 4 x 1		
803 1 tour 0 mm 55 mm Standard gris gris LB.55S-501 3 393999 454099 4 x 1		
806 1 tour 0 mm 60 mm Standard gris gris LB.60S-501 3 393999 454129 4 x 1		

Reversible notchable standing lock with 3 Phillips keys


DB



REF.	UC	QTE
830 1 tour 0 mm 45 mm Standard gris gris DB.45S-501 3 393999 454365 4 x 1		
831 1 tour 0 mm 45 mm Standard gris gris DB.45SD-501 3 393999 454372 4 x 2		

Notched standing lock with cylinder entry

DBPZ



REF.	UC	QTE
840 1 tour 0 mm 50 mm Standard gris gris DBPZ.50S-501 3 393999 566952 4 x 1		

Hook notch lock with ordinary key, 56mm centre distance


BB56



REF.	UC	QTE
850 1 tour 56 mm 45 mm Standard gris gris BB56.45S-501 3 393999 454563 4 x 1		

Hook notch lock with cylinder escutcheon, 56mm centre distance

PZ56



REF.	UC	QTE
851 1 hour 56 mm 45 mm Standard gris grijs PZ56.45S-501		4 x 1

Separate strike plates

SP




A	B	REF.	UC	QTE
10	300	870 SP72-110HS.IL-501 - look inox		4 x 1
20	135	880 SP72MR-501 - zinc-covered		4 x 1
20	135	884 SP72MR.BL-501 - brass-plated polished		4 x 1
25	175	890 SP72S-501 - zinc-covered		4 x 1
25	175	892 SP72R.17-501 - black		4 x 1
25	175	900 SP85S-501 - zinc-covered		4 x 1
25	175	910 SP90R-501 - zinc-covered		4 x 1
25	175	912 SP90R.17-501 - black		4 x 1
25	175	914 SP90R.BL-501 - brass-plated polished		4 x 1
25	175	916 SP90R.IL-501 - look inox		4 x 1
25	175	920 SP110S-501 - zinc-covered		4 x 1
25	175	930 SP110R-501 - zinc-covered		4 x 1

A	B	REF.	UC	QTE
25	175	SP110R.17-501 - black	4	x 1
25	175	SP110R.BL-501 - brass-plated polished	4	x 1
25	175	SP110R.IL-501 - look inox	4	x 1
25	85	SP.S-501 - zinc-covered	4	x 1

Cellar lock to be applied with ordinary key


GA



	REF.		UC	QTE
	     	GA.40SL-501	 3 393999 455768	 4 x 1
	     	GA.40SR-501	 3 393999 455775	 4 x 1
	     	GA.60SL-501	 3 393999 455782	 4 x 1
	     	GA.60SR-501	 3 393999 455799	 4 x 1
	     	GA57.50SL-501	 3 393999 455867	 4 x 1
	     	GA57.50SR-501	 3 393999 455874	 4 x 1
	     	GA45S-501	 3 393999 455904	 4 x 1
	     	GA70S-501	 3 393999 455928	 4 x 1

Toilet lock for sliding doors

174.18



A	B	C	REF.	UC	QTE
70	50	16	174.50.18-002 - nickel-plated-oxided	3	x 1
70	50	16	174.50.18-501 - nickel-plated-oxided	3	x 1

Flat strike

10546-501



A **B**
30 **300**

REF.
10546.13-501
- chrome-plated



UC **QTE**
1 x 1

Keypass mat

KEYPASS



A
75

REF.
KEYPASS-501
- zinc-covered



UC **QTE**
4 x 1

Lock-on for doors and windows

10515-501



A **B** **C**
73 **32** **45**

REF.
10515.37-501
- white



UC **QTE**
1 x 1

73 **32** **45**

10515.40-501
- brown



UC **QTE**
1 x 1

Reversible Lancer, Cylinder + Button

10437-501



A **B** **C**
90 **58** **28**

REF.
10437.37-501
- white



UC **QTE**
1 x 1

90 **58** **28**

10437.40-501
- brown



UC **QTE**
1 x 1

Reversible cylinder frame + knob

10438-501



A **B** **C**
90 **70** **25**

REF.
10438.37-501
- white



UC **QTE**
1 x 1

90 **70** **25**

10438.40-501
- brown



UC **QTE**
1 x 1

Reversible cylinder frame + knob

10536-501



A B C
65 95 20




REF.
10536.40.39-501
- beige



UC QTE
1 x 1

Reversible cylinder frame + knob

10537-501



A B C
65 90 20




REF.
10537.40.39-501
- beige



UC QTE
1 x 1

Reversible frame, cylinder + cylinder

10538-501



A B C
65 90 20



REF.
10538.40.39-501
- beige



UC QTE
1 x 1